

The Knowledge Bank at The Ohio State University
Ohio State Engineer

Title:	Front Matter
Issue Date:	Nov-1932
Publisher:	Ohio State University, College of Engineering
Citation:	Ohio State Engineer, vol. 16, no. 2 (November-December, 1932), 1-2.
URI:	http://hdl.handle.net/1811/34957
Appears in Collections:	Ohio State Engineer: Volume 16, no. 2 (November-December, 1932)

TAI
036
v.16


TECHAR GNIB
MOSCOW 64
ZEMLYANOI WAL
NO. 47 U. S. S. R.

LORD HALL LIBRARY

Returned for Postage

2

THE OHIO STATE ENGINEER



NOV. - DEC. » 1932
Volume XVI. Number 2.

Member of Engineering College Magazines Associated



TWENTY-EIGHT miles upstream from New Orleans a great flood gate known as the Bonnet Carre spillway is being completed. In times of high water this concrete dam on the east bank of the Mississippi will tap the flood before it reaches the city, diverting the dangerous excess into Lake Pontchartrain.

The Bonnet Carre spillway consists of a concrete dam and a pier-and-weir section about 7700 feet long. The weir sections, which are twenty feet wide between the piers, have timber needles on the crests at two levels—elevations 16 and 18. A traveling crane, on a bridge spanning the piers, removes the timber needles for discharge.

N. E. C. equipment played an important part in the construction set-up. Two Koehring Cranes handled aggregate at the material bins and a third Koehring placed the concrete with an Insley bucket. Two large Smith mixers mixed the 127,000 cu. yds. of concrete used on the project.

Wherever you find construction work in progress, you find N. E. C. equipment!



"Concrete—Its Manufacture and Use," a handbook on present methods of preparing and handling portland cement concrete, will be gladly sent on request to engineering students, faculty members and others interested.

KOEHRING
Pavers, Mixers; Power Shovels, Pull Shovels, Cranes, Draglines; Dumpers.

INSLEY
Excavators; Concrete Placing Equipment; Cars, Buckets, Derricks.

T. L. SMITH
Tilting and Non-tilting Mixers, Pavers, Weigh-Mix.

PARSONS
Trenchers, Backfillers.

C. H. & E.
Portable Saw Rigs, Pumps, Hoists, Material Elevators, Ditchers.

KWIK-MIX
Mixers — Concrete, Plaster and Mortar.

National Equipment Corporation

30th St. & Concordia Ave.
Milwaukee, Wisconsin

THE OHIO STATE ENGINEER

Published in October, November, January, February, March, April, and May by the students in the
College of Engineering, The Ohio State University, Columbus, Ohio

Vol. XVI

NOVEMBER-DECEMBER, 1932

No. 2

CONTENTS

THE HISTORY OF THE ROCKET MOTOR—Lester D. Woodford '33.....	3
THE CHEMIST GOES ECLIPSE HUNTING—W. R. Brode.....	4
ROADS—Merrill Weed	5
CAMPUS NEWS	6
EDITORIALS	7
THE SPARK PLUG.....	8
ENGINEERING REVIEW.....	9
ARCHITECTURE—Robert Rush, Arch. '34.....	10
ALUMNI NEWS.....	12
CRANKS AND COUNTERSHAFTS.....	14
COVER—West Point	
FRONTISPIECE—Courtesy General Electric Review.	

Subscription price, \$1.00 per year for seven copies; single copies 20c each. Make checks and money orders payable to
The Ohio State Engineer.

Entered as second-class matter May 15, 1932, at the post office at Columbus, Ohio, under the act of March 3, 1879.
Acceptance for mailing at special rate of postage provided for in Section 1103, Act of October 3, 1917. Authorized December, 8, 1922.

Members of the Engineering College Magazines Associated

Chairman: Willard V. Merrihue, 1 River Road, Schenectady, New York

The Transit	Penn State Engineer	Pennsylvania Triangle
Iowa Engineer	Minnesota Techno-Log	Kansas Engineer
Colorado Engineer	Armour Institute Engineer	Oregon State Technical Record
Nebraska Blue Print	Wisconsin Engineer	The Purdue Engineer
Sibley Journal of Engineering	Tech Engineering News	The Auburn Engineer
Rose Technic	Cornell Civil Engineer	The Marquette Engineer
Michigan Technic	Kansas State Engineer	The Tennessee Engineer
The Ohio State Engineer	The Technograph	



SHADOWS, TOO, HAVE THEIR PLACE IN FLOODLIGHTING
 The City Hall of Buffalo (N.Y.) is a splendid example of floodlighting designed to bring out architectural detail through the combination of light and shadow. With this new method, a forceful arrangement of column effect is obtained at a surprisingly low cost for current.